

Parameter	Rule	Standards (mg/L or as noted)
<b>Primary Drinking Water Standards</b>		
Antimony	Phase V	0.006
Arsenic	A	0.01
Asbestos (fibers/L > 10um)	Phase II	7 MFL
Barium	Phase II	2
Beryllium	Phase V	0.004
Bromate	D/DBPR	0.01
Cadmium	Phase II	0.005
Chlorite	D/DBPR	1
Chromium (total)	Phase II	0.1
Copper	LCR	TT (1.3)
Cyanide	Phase V	0.2
Fluoride	F	4
Lead	LCR	TT (0.015)
Mercury	Phase II	0.002
Nickel	Phase V	0.1
Nitrate (as N)	Phase II	10
Nitrite (as N)	Phase II	1
Nitrate + nitrite (both as N)	Phase II	10
Selenium	Phase II	0.05
Sodium		160
Thallium	Phase V	0.002
Beta-particle and photon emitters	R	4 mrem
Alpha emitters	R	15 pCi/L
Radium 226 + 228	R	5 pCi/L
Radon	Ra	300 pCi/L
Uranium	R	0.03
Total coliforms	TCR	5%
Escherichia coli	TCR	
Fecal coliforms	TCR	
Turbidity	IESWTR	0.3 NTU 95%
<i>Giardia lamblia</i>	SWTR	TT (3.0-log)
Viruses	SWTR	TT (4.0-log)
Legionella	SWTR	TT
Heterotrophic bacteria (HPC)	SWTR	TT
<i>Cryptosporidium</i>	LT2 SWTR	TT (3.0-5.5-log)
THMs	D/DBPR	80% of MCL
HAAs	D/DBPR	60% of MCL
Chloramine	D/DBPR	4 (MDRL)
Synthetic Organic Compounds (SOCs)	Phase II, V	MCL varies
Volatile Organic Compounds (VOCs)	Phase II, V, D/DBPR	MCL varies

Parameter	Rule	Finished Water Quality Goal (mg/L or as noted)
<b>Secondary Drinking Water Standards</b>		
Aluminum	--	0.05 to 0.2
Chloride	--	250
Fluoride	--	2
Iron	--	0.3
Manganese	--	0.05
Silver	--	0.1
Sulfate	--	250
Zinc	--	5
Color	--	15 CPU
Threshold Odor Number	--	3
pH (Units)	--	6.5-8.5
TDS	--	500
Foaming agents	--	0.5